
SECOND PREGNANCY WITH SINGLE LIVE BIRTH: DIAGNOSIS OF BIRTH COMPLICATIONS STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

				Had Birth Complications					
			None	Pre-eclampsia	Gestational Diabetes	Abruptio Placenta	Placenta Previa	Other Complication	Total
Mothers Age-Group	14-19	Count	1394	29	0	0	0	1	1424
		Percent	97.9%	2.0%	.0%	.0%	.0%	.1%	100.0%
	20-29	Count	12119	370	16	1	2	6	12514
		Percent	96.8%	3.0%	.1%	.0%	.0%	.0%	100.0%
	30-39	Count	2234	106	7	0	0	2	2349
		Percent	95.1%	4.5%	.3%	.0%	.0%	.1%	100.0%
	40-49	Count	51	6	0	0	0	0	57
		Percent	89.5%	10.5%	.0%	.0%	.0%	.0%	100.0%
Total		Count	15798	511	23	1	2	9	16344
		Percent	96.7%	3.1%	.1%	.0%	.0%	.1%	100.0%


SECOND PREGNANCY WITH SINGLE LIVE BIRTH: DIAGNOSIS OF BIRTH COMPLICATIONS - STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH



SECOND PREGNANCY WITH SINGLE LIVE BIRTH: BIRTH METHOD STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

			Vaginal	Ceasarean	No Response	Total
Mothers Age-Group	14-19	Count	1288	124	7	1419
		Percent	90.8%	8.7%	.5%	100.0%
	20-29	Count	10716	1724	38	12478
		Percent	85.9%	13.8%	.3%	100.0%
	30-39	Count	1749	586	6	2341
		Percent	74.7%	25.0%	.3%	100.0%
	40-49	Count	31	25	1	57
		Percent	54.4%	43.9%	1.8%	100.0%
Total		Count	13784	2459	52	16295
		Percent	84.6%	15.1%	.3%	100.0%


SECOND PREGNANCY WITH SINGLE LIVE BIRTH: BIRTH METHOD - STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH



SECOND PREGNANCY WITH SINGLE LIVE BIRTH: GENDER STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

			Boy	Girl	No Response	Total
MothersAgeGroup	14-19	Count	742	679	3	1424
		Percent	52.1%	47.7%	.2%	100.0%
	20-29	Count	6437	6057	21	12515
		Percent	51.4%	48.4%	.2%	100.0%
	30-39	Count	1214	1133	2	2349
		Percent	51.7%	48.2%	.1%	100.0%
	40-49	Count	26	30	1	57
		Percent	45.6%	52.6%	1.8%	100.0%
Total		Count	8419	7899	27	16345
		Percent	51.5%	48.3%	.2%	100.0%


SECOND PREGNANCY WITH SINGLE LIVE BIRTH: GENDER - STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH



SECOND PREGNANCY WITH SINGLE LIVE BIRTH: PREGNANCY OUTCOME STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

				Pregnancy Outcome						
			No Response	One live Birth	Miscarriages	Still Born	Tubal	Molar	Other	Total
Mothers Age-Group	14-19	Count	0	1424	191	20	4	0	33	1672
		Percent	.0%	85.2%	11.4%	1.2%	.2%	.0%	2.0%	100.0%
	20-29	Count	4	12515	1270	85	74	28	140	14116
		Percent	.0%	88.7%	9.0%	.6%	.5%	.2%	1.0%	100.0%
	30-39	Count	0	2349	292	15	27	7	23	2713
		Percent	.0%	86.6%	10.8%	.6%	1.0%	.3%	.8%	100.0%
	40-49	Count	0	57	26	1	0	0	2	86
		Percent	.0%	66.3%	30.2%	1.2%	.0%	.0%	2.3%	100.0%
Total		Count	4	16345	1779	121	105	35	198	18587
		Percent	.0%	87.9%	9.6%	.7%	.6%	.2%	1.1%	100.0%


SECOND PREGNANCY WITH SINGLE LIVE BIRTH: PREGNANCY OUTCOME -STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH



SECOND PREGNANCY WITH SINGLE LIVE BIRTH: PREMATURE BIRTH (< 37 weeks) STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

			Premature Birth			
			No	Yes	No Response	Total
Mothers Age-Group	14-19	Count	1210	195	14	1419
		Percent	85.3%	13.7%	1.0%	100.0%
	20-29	Count	10911	1473	94	12478
		Percent	87.4%	11.8%	.8%	100.0%
	30-39	Count	2015	307	19	2341
		Percent	86.1%	13.1%	.8%	100.0%
	40-49	Count	42	14	1	57
		Percent	73.7%	24.6%	1.8%	100.0%
Total		Count	14178	1989	128	16295
		Percent	87.0%	12.2%	.8%	100.0%





SECOND PREGNANCY WITH SINGLE LIVE BIRTH: WEIGHT RANGE STRATIFIED BY MOTHER'S AGE-GROUP AT TIME OF BIRTH

			More than 5.5 Pounds	Less than 5.5 Pounds	No Response	Total
MothersAgeGroup	14-19	Count	1298	120	6	1424
		Percent	91.2%	8.4%	.4%	100.0%
	20-29	Count	11905	567	43	12515
		Percent	95.1%	4.5%	.3%	100.0%
	30-39	Count	2215	124	10	2349
		Percent	94.3%	5.3%	.4%	100.0%
	40-49	Count	48	8	1	57
		Percent	84.2%	14.0%	1.8%	100.0%
Total		Count	15466	819	60	16345
		Percent	94.6%	5.0%	.4%	100.0%



