
Self-Reported Diagnosis of Thyroid Disease in Children					
Stratified by Gender and Age					

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Thyroid Disease	Population in Quartile	Num of Reported	Percent in Quartile
Girl	1	0-10	No	514	511	99.42%
Girl	1	0-10	Yes	514	3	0.58%
Girl	1	11-18	No	916	910	99.34%
Girl	1	11-18	Yes	916	6	0.66%
Girl	2	0-10	No	518	518	100.0%
Girl	2	11-18	No	907	895	98.68%
Girl	2	11-18	Yes	907	12	1.32%
Girl	3	0-10	No	519	517	99.61%
Girl	3	0-10	Yes	519	2	0.39%
Girl	3	11-18	No	910	896	98.46%
Girl	3	11-18	Yes	910	14	1.54%
Girl	4	0-10	No	517	516	99.81%
Girl	4	0-10	Yes	517	1	0.19%
Girl	4	11-18	No	911	897	98.46%
Girl	4	11-18	Yes	911	14	1.54%
Boy	1	0-10	No	537	537	100.0%
Boy	1	11-18	No	975	971	99.59%
Boy	1	11-18	Yes	975	4	0.41%
Boy	2	0-10	No	538	538	100.0%
Boy	2	11-18	No	976	970	99.39%
Boy	2	11-18	Yes	976	6	0.61%
Boy	3	0-10	No	538	538	100.0%
Boy	3	11-18	No	978	974	99.59%
Boy	3	11-18	Yes	978	4	0.41%
Boy	4	0-10	No	538	536	99.63%
Boy	4	0-10	Yes	538	2	0.37%
Boy	4	11-18	No	976	973	99.69%
Boy	4	11-18	Yes	976	3	0.31%


NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Thyroid Disease and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Thyroid Disease in Girls Stratified by Age



© 2009 West Virginia University School of Medicine

Self- Reported Diagnosis of Thyroid Disease in Boys Stratified by Age



© 2009 West Virginia University School of Medicine