
Self-Reported Diagnosis of Lymphoma Cancer in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Lymphoma Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3008	99.87%
Female	1	30-50	Yes	3012	4	0.13%
Female	1	51-older	No	2737	2725	99.56%
Female	1	51-older	Yes	2737	12	0.44%
Female	2	30-50	No	3036	3031	99.84%
Female	2	30-50	Yes	3036	5	0.16%
Female	2	51-older	No	2747	2729	99.34%
Female	2	51-older	Yes	2747	18	0.66%
Female	3	30-50	No	3015	3013	99.93%
Female	3	30-50	Yes	3015	2	0.07%
Female	3	51-older	No	2735	2716	99.31%
Female	3	51-older	Yes	2735	19	0.69%
Female	4	30-50	No	3020	3014	99.80%
Female	4	30-50	Yes	3020	6	0.20%
Female	4	51-older	No	2744	2732	99.56%
Female	4	51-older	Yes	2744	12	0.44%
Male	1	30-50	No	2600	2597	99.88%
Male	1	30-50	Yes	2600	3	0.12%
Male	1	51-older	No	2665	2651	99.47%
Male	1	51-older	Yes	2665	14	0.53%
Male	2	30-50	No	2609	2599	99.62%
Male	2	30-50	Yes	2609	10	0.38%
Male	2	51-older	No	2647	2630	99.36%
Male	2	51-older	Yes	2647	17	0.64%
Male	3	30-50	No	2613	2608	99.81%
Male	3	30-50	Yes	2613	5	0.19%
Male	3	51-older	No	2661	2654	99.74%
Male	3	51-older	Yes	2661	7	0.26%
Male	4	30-50	No	2608	2607	99.96%
Male	4	30-50	Yes	2608	1	0.04%
Male	4	51-older	No	2658	2648	99.62%
Male	4	51-older	Yes	2658	10	0.38%


NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Lymphoma Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Lymphoma Cancer in Female Adults Stratified by Age



^{© 2009} West Virginia University School of Medicine

Self- Reported Diagnosis of Lymphoma Cancer in Male Adults Stratified by Age



© 2009 West Virginia University School of Medicine