Self-Reported Diagnosis of Ovarian Cancer in Female Adults Stratified by Age

Quartile of C8 PFOA	AGE GROUP	Diagnosis of Ovarian Cancer	Population in Quartile	Num of Reported	Percent in Quartile
1	30-50	No	3009	2997	99.60%
1	30-50	Yes	3009	12	0.40%
1	51-older	No	2735	2717	99.34%
1	51-older	Yes	2735	18	0.66%
2	30-50	No	3035	3014	99.31%
2	30-50	Yes	3035	21	0.69%
2	51-older	No	2748	2728	99.27%
2	51-older	Yes	2748	20	0.73%
3	30-50	No	3011	3005	99.80%
3	30-50	Yes	3011	6	0.20%
3	51-older	No	2733	2705	98.98%
3	51-older	Yes	2733	28	1.02%
4	30-50	No	3017	3008	99.70%
4	30-50	Yes	3017	9	0.30%
4	51-older	No	2740	2722	99.34%
4	51-older	Yes	2740	18	0.66%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Ovarian Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Ovarian Cancer in Female Adults Stratified by Age

