
Self-Reported Diagnosis of Liver Disease in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Liver Disease	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	2987	99.17%
Female	1	30-50	Yes	3012	25	0.83%
Female	1	51-older	No	2738	2669	97.48%
Female	1	51-older	Yes	2738	69	2.52%
Female	2	30-50	No	3036	3009	99.11%
Female	2	30-50	Yes	3036	27	0.89%
Female	2	51-older	No	2749	2690	97.85%
Female	2	51-older	Yes	2749	59	2.15%
Female	3	30-50	No	3015	2975	98.67%
Female	3	30-50	Yes	3015	40	1.33%
Female	3	51-older	No	2744	2688	97.96%
Female	3	51-older	Yes	2744	56	2.04%
Female	4	30-50	No	3022	2995	99.11%
Female	4	30-50	Yes	3022	27	0.89%
Female	4	51-older	No	2739	2667	97.37%
Female	4	51-older	Yes	2739	72	2.63%
Male	1	30-50	No	2601	2570	98.81%
Male	1	30-50	Yes	2601	31	1.19%
Male	1	51-older	No	2668	2610	97.83%
Male	1	51-older	Yes	2668	58	2.17%
Male	2	30-50	No	2621	2590	98.82%
Male	2	30-50	Yes	2621	31	1.18%
Male	2	51-older	No	2649	2585	97.58%
Male	2	51-older	Yes	2649	64	2.42%
Male	3	30-50	No	2603	2573	98.85%
Male	3	30-50	Yes	2603	30	1.15%
Male	3	51-older	No	2662	2601	97.71%
Male	3	51-older	Yes	2662	61	2.29%
Male	4	30-50	No	2608	2586	99.16%
Male	4	30-50	Yes	2608	22	0.84%
Male	4	51-older	No	2659	2612	98.23%
Male	4	51-older	Yes	2659	47	1.77%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Liver Disease and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Liver Disease in Female Adults Stratified by Age



Self- Reported Diagnosis of Liver Disease in Male Adults Stratified by Age

