Self-Reported Clinical Symptoms: Blood in Stool


All Age and Gender Groups

<u>NOTE:</u> Symptoms were self reported by participants and were not independently verified with medical records or by a health care professional. Limited information about the characteristics of the self-reported symptoms, such as severity, duration, or history, was collected. Inferences about population health or associations based on these self-reported symptoms should be made cautiously.


SELF-REPORTED CLINICAL SYMPTOMS BY GENDER AND AGE GROUP: BLOOD IN STOOL

| Gender | | | | Blood In Stool | | | | Total |
|--------|-----------|-------|-------------|----------------|-----------|--------|-------|--------|
| | | | | Frequently | Sometimes | Rarely | Never | |
| | Age Group | 0-10 | Count | 5 | 25 | 61 | 2599 | 2690 |
| | | | Percent (%) | .2% | .9% | 2.3% | 96.6% | 100.0% |
| | | 11-20 | Count | 20 | 83 | 192 | 4475 | 4770 |
| | | | Percent (%) | .4% | 1.7% | 4.0% | 93.8% | 100.0% |
| | | 21-30 | Count | 70 | 335 | 633 | 4370 | 5408 |
| | | | Percent (%) | 1.3% | 6.2% | 11.7% | 80.8% | 100.0% |
| | | 31-40 | Count | 75 | 336 | 672 | 4708 | 5791 |
| | | | Percent (%) | 1.3% | 5.8% | 11.6% | 81.3% | 100.0% |
| | | 41-50 | Count | 84 | 398 | 822 | 5109 | 6413 |
| | | | Percent (%) | 1.3% | 6.2% | 12.8% | 79.7% | 100.0% |
| | | 51-60 | Count | 65 | 329 | 736 | 4127 | 5257 |
| | | | Percent (%) | 1.2% | 6.3% | 14.0% | 78.5% | 100.0% |
| | | 61-70 | Count | 33 | 199 | 412 | 2685 | 3329 |
| | | | Percent (%) | 1.0% | 6.0% | 12.4% | 80.7% | 100.0% |
| | | 71-80 | Count | 11 | 70 | 168 | 1322 | 1571 |
| | | | Percent (%) | .7% | 4.5% | 10.7% | 84.2% | 100.0% |
| | | >80 | Count | 3 | 17 | 51 | 488 | 559 |
| | | | Percent (%) | .5% | 3.0% | 9.1% | 87.3% | 100.0% |
| | Total | | Count | 366 | 1792 | 3747 | 29883 | 35788 |
| | | | Percent (%) | 1.0% | 5.0% | 10.5% | 83.5% | 100.0% |
| Male | Age Group | 0-10 | Count | 4 | 22 | 64 | 2613 | 2703 |
| | | | Percent (%) | .1% | .8% | 2.4% | 96.7% | 100.0% |
| | | 11-20 | Count | 9 | 59 | 167 | 4726 | 4961 |
| | | | Percent (%) | .2% | 1.2% | 3.4% | 95.3% | 100.0% |
| | | 21-30 | Count | 40 | 242 | 424 | 3893 | 4599 |
| | | | Percent (%) | .9% | 5.3% | 9.2% | 84.6% | 100.0% |
| | | 31-40 | Count | 64 | 297 | 633 | 3886 | 4880 |
| | | | Percent (%) | 1.3% | 6.1% | 13.0% | 79.6% | 100.0% |
| | | 41-50 | Count | 88 | 415 | 766 | 4405 | 5674 |
| | | | Percent (%) | 1.6% | 7.3% | 13.5% | 77.6% | 100.0% |
| | | 51-60 | Count | 57 | 331 | 729 | 3956 | 5073 |
| | | | Percent (%) | 1.1% | 6.5% | 14.4% | 78.0% | 100.0% |
| | | 61-70 | Count | 35 | 200 | 422 | 2748 | 3405 |
| | | | Percent (%) | 1.0% | 5.9% | 12.4% | 80.7% | 100.0% |
| | | 71-80 | Count | 15 | 54 | 173 | 1355 | 1597 |
| | | | Percent (%) | .9% | 3.4% | 10.8% | 84.8% | 100.0% |
| | | >80 | Count | 4 | 12 | 34 | 300 | 350 |
| | | | Percent (%) | 1.1% | 3.4% | 9.7% | 85.7% | 100.0% |
| | Total | | Count | 316 | 1632 | 3412 | 27882 | 33242 |
| | | | Percent (%) | 1.0% | 4.9% | 10.3% | 83.9% | 100.0% |

BLOOD IN STOOL IN FEMALES BY AGE GROUP



BLOOD IN STOOL IN MALES BY AGE GROUP



BLOOD IN STOOL BY GENDER AND AGE GROUP

